

# STAY CONNECTED: 🛐 🚟 🖿

Motioneering

Toolbar

Industry Solutions | Products | Support

Linear Motion. Optimized."



Thomson's application expertise is deep, and our product portfolio is broad. We can modify our standard products to virtually any need or full custom solution

Max Jac® heavy-duty linear actuator

- All external components are stainless steel, hard-anodized aluminum or a highly resistant
- <u>All</u> seals withstand both organic and non-organic chemicals and abrasive
- Designed to operate from -40 to
- Tested for 500 hours of salt spray.

- Dynamic Load rating of up to
- Velocity up to 100 ft/s (31 m/s)
- Extremely contaminant resistant
- · Maximum operating temperature of
- Bearing height infinitely adjustable within up to +/- 0.030 in.

## AquaTRUE™ True Planetary® gearheads

- IP66/IP67 and IP69K protection
- 304 stainless steel housing
- Laser-etched permanent product label
- · Smooth, round external housing without catch points

Learn more and see application examples > **Download Food Processing** Equipment Brochure >



# **Thomson Tech Tips Video**

### IP Ratings Explained

The International Protection (IP) code classifies the different levels of protection for electrical equipment, including electric linear actuators.

The first rating is for the protection against solid foreign objects and the second rating is for the protection of ingress of liquids like water. Knowing what the ratings mean allow you to know how much protection your actuator will have in your next design.

Watch the video on YouTube >

# + applications/tools/products



# Thomson Design Tools & Resources Help You Find The Right Product

At Thomson, we provide our customers with world class customer support by offering a wide variety of online application, selection and training tools. Together, with our direct contact customer support center, we can help you find the product that best fits your application needs.

Visit our design tools website >



Publisher: Thomson Industries, Inc. sales.europe@thomsonlinear.com THOMSON NEFF GmbH

Nürtinger Str. 70 | 72649 Wolfschlugen | Germany Phone +49 7022 504 0 | Fax +49 7022 504 405 sales.germany@thomsonlinear.com

Register Office: Local Court Stuttgart, HRB 220154 Managing Directors: Wolfgang Becker, Sanjay Chowbey

www.thomsonlinear.com **THOMSON Tollo Linear AB** Estridsväg 10 | 29165 Kristianstad | Sweden Phone +46 44 246700 | Fax +46 44 244085 <u>sales.scandinavia@thomsonlinear.com</u>

Unsubscribe from Thomson eNEWS. | Unsubscribe from all Thomson e-mails.

© 2016 Thomson Industries, Inc. | Errors and technical alterations reserved.